

RECEIVED
CENTRAL FAX CENTER

AUG 03 2004

2100 Pennsylvania Avenue, NW
Washington, DC 20037-3213
T 202.293.7060
F 202.293.7860

www.sughrue.com

FAX

Date August 3, 2004

To Examiner Suryaprabha Chunduru

Of Group Art Unit: 1837

Fax 703-872-9308

From Stan Torgovitsky

Subject U.S. Appl. No. 10/031,168

Our Ref Q-68066

Pages 11
(including cover sheet)

Please call attention to problems with this transmission by return fax or telephone. Thank you.

THE INFORMATION CONTAINED IN THIS COMMUNICATION IS CONFIDENTIAL, MAY BE ATTORNEY-CLIENT PRIVILEGED, AND IS INTENDED ONLY FOR THE USE OF THE ADDRESSEE. UNAUTHORIZED USE, DISCLOSURE OR COPYING IS STRICTLY PROHIBITED AND MAY BE UNLAWFUL IF YOU HAVE RECEIVED THIS COMMUNICATION IN ERROR, PLEASE IMMEDIATELY NOTIFY US.

Examiner Chunduru:

Per our telephone conversation today. Enclosed is a corrected Amendment and Petition for Extension of Time whereby the serial number has now been corrected to read --10/031,068-- (Also enclosed is a copy of the filing receipt containing the original date stamp of July 16, 2004.)

Please have this Amendment and Petition for Extension of Time rescanned and forward same to the Examiner.

Respectfully submitted,



Stan Torgovitsky
Registration No. 43,958

4/3

FILING RECEIPT
PLEASE DATE STAMP AND RETURN TO US - BOX 235X

In re application of

Hans SIGRIST

Appl. No.: 10/031,168

Confirmation No.: 6054

Filed: January 15, 2002

Group Art Unit: 1637

Examiner: Suryaprabha Chunduru



For: BIOCHEMICAL SENSOR SYSTEM WITH INCREASED SENSITIVITY BY MOLECULAR
SIGNAL AMPLIFICATION

PAPER(S) FILED ENTITLED:

1. Amendment Under 37 C.F.R. §1.116
2. Petition for Extension of Time (Charged to Deposit Account in the amount of \$110.00).

SUGHRUE MION, PLLC
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

DOCKET NO.: Q68066
ATTORNEY/SEC: JHM/SXT/rhs
Date Filed: July 16, 2004

WASHINGTON OFFICE

23373

CUSTOMER NUMBER

RECEIVED
CENTRAL FAX CENTER

AUG 03 2004

AMENDMENT UNDER 37 C.F.R. § 1.116
EXPEDITED PROCEDURE
GROUP 1637
PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q68066

Hans SIGRIST

Appln. No.: 10/031,068

Group Art Unit: 1637

Confirmation No.: 6054

Examiner: Suryaprabha Chunduru

Filed: January 15, 2002

For: BIOCHEMICAL SENSOR SYSTEM WITH INCREASED SENSITIVITY BY
MOLECULAR SIGNAL AMPLIFICATION

AMENDMENT UNDER 37 C.F.R. § 1.116

MAIL STOP AF

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated March 16, 2004, please amend the above-
identified application as follows on the accompanying pages.

TABLE OF CONTENTS

AMENDMENTS TO THE CLAIMS	2
REMARKS	7